

| revision | date | description |
|----------|------|-------------|
|----------|------|-------------|

F.F.L. 35.40 FINISHED FLOOR LEVEL

21MM PLY FLOORING TO WET AREAS
OR AS MEMBRANE ROOF SUBSTRATE
SUPPORTED AT 400CRS

GL 29.00 EXISTING GROUND LEVEL

RL 29.00 NEW GROUND LEVEL

TOW 29.00 TOP OF WALL LEVEL

90x45(112) TIMBER FRAMED
WALLS UNDER
FALLS INDICATED BY DIRECTION
OF ARROW

fall →

AS PER NZS3604:2011 UNLESS
STATED OTHERWISE BY STRUCT.
ENGINEER

BP/AP →

AP=ANCHOR PILE / BP=BRACED PILE
AS PER NZS3604:2011

125X125(H5) SONTON ORDINARY PILE
POST OR POINT LOAD ABOVE
DOUBLE STUD &/OR PILE UNDER
DOUBLE JOIST

D/JOIST

RWH / DP

GIBSON
ARCHITECTS LTD


P:(09)419 6640 M:(027)475 3863
www.gibsonarchitects.co.nz

| | |
|---------|---------------|
| design | date |
| | December 2013 |
| drawn | scale |
| JG | 1:50@A3 |
| checked | job no. |
| JG | 13-027 |

McMEIKEN POOL HOUSE
107 HINEMOA STREET
BIRKENHEAD 0626

sheet title

ROOF FRAMING PLAN



sheet no

revision

A2.04

PRINT : 19 March 2014

© Copyright to GA Ltd